

## Preisliste gültig ab 4. April 2024

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>ACTION Series</b>		
<b>Passive</b>		
<b>ACTION-508</b>	Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black	<b>530.00</b>
<b>ACTION-512</b>	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black	<b>710.00</b>
<b>ACTION-M512</b>	Passive, 300 W, 12", 2 way full range, stage monitor, 80x50 rotatable horn, black	<b>850.00</b>
<b>ACTION-515</b>	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black	<b>870.00</b>
<b>ACTION-525</b>	Passive, 700 W, 2x 15", 2 way full-range, 90x60 rotatable horn, black	<b>1'220.00</b>
<b>ACTION-S18</b>	Passive, 600 W, 18", bass-reflex subwoofer, black	<b>1'130.00</b>
<b>ACTION-S218</b>	Passive, 1200 W, 2x 18", bass-reflex subwoofer, black	<b>1'590.00</b>
<b>Aktive</b>		
<b>ACTION-508A</b>	Powered, 360 W, 8", 2 way full-range, 90x60 rotatable horn, black	<b>1'060.00</b>
<b>ACTION-512A</b>	Powered, 500 W, 12", 2 way full-range, 90x60 rotatable horn, black	<b>1'260.00</b>
<b>ACTION-M512A</b>	Powered, 500 W, 12", 2 way full range, stage monitor, 80x50 rotatable horn, black	<b>1'340.00</b>
<b>ACTION-515A</b>	Powered, 500 W, 15", 2 way full-range, 90x60 rotatable horn, black	<b>1'380.00</b>
<b>ACTION-525A</b>	Powered, 1000 W, 2x 15", 2 way full-range, 90x60 rotatable horn, black	<b>1'700.00</b>
<b>ACTION-S18A</b>	Powered, 600 W, 18", bass-reflex subwoofer, black	<b>1'840.00</b>
<b>ACTION-S118A-230</b>	Powered, 1600 W, 18", horn-bass subwoofer, 115 V, black	<b>2'690.00</b>
<b>ACTION-S218A-230</b>	Powered, 1250 W, 2x 18", bass-reflex subwoofer, 115 V, black	<b>2'710.00</b>
<b>ACCESSORIES</b>		
<b>ANL-1</b>	Set of 4 M8x13 forged steel eyebolts+4 carabiners, for flying	<b>40.00</b>
<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-SPG1</b>	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	<b>40.00</b>
<b>AXC-AT</b>	C-clamp for using mounts with lighting truss	<b>80.00</b>
<b>AXU-ACT8</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-8/ACTION-8A, black	<b>100.00</b>
<b>AXU-ACT512</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ACTION-512/ACTION-512A, black	<b>150.00</b>
<b>FUN-ACT8</b>	Protective transport cover for 1 u. ACTION-8/ACTION-8A, black	<b>80.00</b>
<b>FUN-VT12</b>	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, black	<b>110.00</b>
<b>FUN-VT15</b>	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, black	<b>130.00</b>
<b>FUN-ACTM12</b>	Protective transport cover for 1 u. ACTION-M12/ACTION-M12A, black	<b>110.00</b>
<b>FUN-VT215</b>	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, black	<b>180.00</b>
<b>FUN-VT18</b>	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	<b>160.00</b>
<b>FUN-ACT118</b>	Protective transport cover for 1u. ACTION-118A, black	<b>220.00</b>
<b>FUN-ACT218</b>	Protective transport cover for 1u. ACTION-218/ACTION-218A, black	<b>180.00</b>
<b>FUN-TRD2</b>	Protective transport cover for TRD-2, black	<b>70.00</b>
<b>SPK4-1</b>	1m speaker cable, 4x(2.5mm <sup>2</sup> ), 2x NL4	<b>40.00</b>
<b>SPK4-10</b>	10m speaker cable, 4x(2.5mm <sup>2</sup> ), 2x NL4	<b>80.00</b>
<b>SPK4-20</b>	20m speaker cable, 4x(2.5mm <sup>2</sup> ), 2x NL4	<b>120.00</b>
<b>TRD-2</b>	Aluminum speaker stand for all models with 35mm pole mount socket, black	<b>170.00</b>
<b>TRD-6</b>	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	<b>160.00</b>
<b>TRD-7</b>	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub	<b>260.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>ALTEA Series</b>		
<b>Passive</b>		
<b>ALTEA-408</b>	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn , black	<b>410.00</b>
<b>ALTEA-408-T</b>	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, 70 V/100 V line transformer, black	<b>530.00</b>
<b>ALTEA-408-WR</b>	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, weatherized, black	<b>630.00</b> <b>NEW</b>
<b>ALTEA-408-WR-T100</b>	Passive, 150 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, 70 V/100 V line transformer, weatherized, black	<b>760.00</b> <b>NEW</b>
<b>ALTEA-412</b>	Passive, 300 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn , black	<b>500.00</b>
<b>ALTEA-412-WR</b>	Passive, 300 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, weatherized, black	<b>770.00</b> <b>NEW</b>
<b>ALTEA-415</b>	Passive, 350 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black	<b>530.00</b>
<b>ALTEA-712</b>	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, black	<b>630.00</b>
<b>ALTEA-712-WR</b>	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, weatherized, black	<b>920.00</b> <b>NEW</b>
<b>ALTEA-712-WR-T100</b>	Passive, 500 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, 70 V/100 V line transformer, weatherized, black	<b>1'030.00</b> <b>NEW</b>
<b>ALTEA-715</b>	Passive, 500 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, black	<b>680.00</b>
<b>ALTEA-718</b>	Passive, 600 W, 18", long excursion bass-reflex subwoofer, black	<b>960.00</b>
<b>Active</b>		
<b>ALTEA-408A</b>	Powered, 400 W, 8", 2 way full-range, polypropylene enclosure, 90x90 horn, LCD control interface, black	<b>700.00</b>
<b>ALTEA-412A</b>	Powered, 400 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, black	<b>740.00</b>
<b>ALTEA-415A</b>	Powered, 400 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control interface, black	<b>810.00</b>
<b>ALTEA-712A</b>	Powered, 700 W, 12", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black	<b>1'160.00</b>
<b>ALTEA-715A</b>	Powered, 700 W, 15", 2 way full-range, polypropylene enclosure, 90x60 horn, LCD control+wireless, black	<b>1'260.00</b>
<b>ALTEA-718A</b>	Powered, 600 W, 18", long excursion bass-reflex subwoofer, black	<b>1'570.00</b>
<b>ALTEA-DUO-10A</b>	Powered, 500 W, 3 way full-range portable column system, polypropylene enclosure, 90x50 horn, LCD control interface,, black	<b>1'330.00</b>
<b>ALTEA-DUO-10A-W</b>	Powered, 500 W, 3 way full-range portable column system, polypropylene enclosure, 90x50 horn, LCD control interface, white	<b>1'330.00</b>
<b>ALTEA-DUO-20A</b>	Powered, 1000 W, 3 way full-range portable column system, polypropylene/wood enclosure, 90x50 horn, LCD control interface, black	<b>1'980.00</b>
<b>ALTEA-DUO-20A-W</b>	Powered, 1000 W, 3 way full-range portable column system, polypropylene/wood enclosure, 90x50 horn, LCD control interface, white	<b>1'980.00</b>
<b>ALTEA-S15A</b>	Powered, 600 W, 15", bass-reflex subwoofer, black	<b>1'340.00</b>
<b>ACCESSORIES</b>		
<b>ANL-1</b>	Set of 4 M8x13 forged steel eyebolts+4 carabiners, for flying	<b>40.00</b>
<b>FUN-AL712</b>	Protective transport cover for 1 u. ALTEA-712/ALTEA-712A/ALTEA-412/ALTEA-412A, black	<b>50.00</b>
<b>FUN-AL715</b>	Protective transport cover for 1 u. ALTEA-715/ALTEA-715A/ALTEA-415/ALTEA-415A, black	<b>60.00</b>
<b>FUN-VT18</b>	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	<b>160.00</b>
<b>SPK4-1</b>	1m speaker cable, 4x(2.5mm <sup>2</sup> ), 2x NL4	<b>40.00</b>
<b>SPK4-10</b>	10m speaker cable, 4x(2.5mm <sup>2</sup> ), 2x NL4	<b>80.00</b>
<b>SPK4-20</b>	20m speaker cable, 4x(2.5mm <sup>2</sup> ), 2x NL4	<b>120.00</b>
<b>TRD-2</b>	Aluminum speaker stand for all models with 35mm pole mount socket, black	<b>170.00</b>
<b>TRD-6</b>	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub system, black	<b>160.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>TRD-7</b>	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub	<b>260.00</b>
<b>AX-112-5</b>	Wall mount bracket for 12" VANTEC/ALTEA/ACTION-500/WR, WLL=25kgf, black	<b>140.00</b>
<b>PL-ALTEA-DUO-10A</b>	Wooden transport dolly for ALTEA-DUO-10A, black	<b>120.00</b>
<b>PL-ALTEA-DUO-20A</b>	Wooden transport dolly for ALTEA-DUO-20A, black	<b>140.00</b>
<b>AXF-X12</b>	Fast adjustable ceiling/truss mount bracket for 12" VANTEC/ALTEA/ACTION-500, black	<b>670.00</b>
<b>FUN-AL408</b>	Protective transport cover for 1 u. ALTEA-408/ALTEA-408A/ALTEA-408-T, black	<b>50.00</b>
<b>AXW-ALT - NEW</b>	Wall mount bracket and safety cable for various models, WLL=12kgf	<b>50.00</b> <b>NEW</b>
<b>AXW-ALT-WR - NEW</b>	Wall mount bracket and safety cable for various models, WLL=12kgf	<b>80.00</b> <b>NEW</b>

**AERO Series 2 | UX Series**
**Active**

<b>AERO-20A</b>	Powered, 800 W (LF)+400 W (HF), 12", 2 way full-range, compact Line Array, DASnet, black	<b>7'240.00</b>
<b>AERO-20.120A</b>	Powered, 800 W (LF)+400 W (HF), 12", 2 way full-range, compact Line Array, 120° horizontal dispersion, DASnet, black	<b>7'240.00</b>
<b>AERO-40A</b>	Powered, 1000 W (LF)+500 W (MF)+500 W (HF), 12"+8"+2x3" drivers, 3 way full-range, Line Array, DASnet, black	<b>11'710.00</b>
<b>UX-218A</b>	Powered, 2x1700 W, 2x18", ground-stackable hi-output crossfire subwoofer, DASnet, black	<b>11'100.00</b>
<b>UX-218A-R</b>	Powered, 2x1700 W, 2x18", arrayable hi-output crossfire subwoofer, DASnet, black	<b>12'570.00</b>
<b>UX-221A</b>	Powered, 2x3400 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer, DASnet, black	<b>15'890.00</b>

**Passive**

<b>UX-218</b>	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black	<b>6'700.00</b>
<b>UX-218-R</b>	Passive, 2200 W, 2x18", arrayable hi-output crossfire subwoofer, black	<b>8'170.00</b>
<b>UX-221</b>	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer	<b>8'800.00</b>

**ACCESSORIES**

<b>AX-118S20</b>	Kit to stack AERO-20A (max 4 u.) on LX-118A, black	<b>120.00</b>
<b>AX-AE20</b>	Rigging bumper for AERO-20A (max 20 u.), black	<b>1'870.00</b>
<b>AX-AE40S3</b>	Rigging bumper for AERO-40A (max 20 u.), black	<b>2'340.00</b>
<b>AX-LX118S2</b>	Rigging bumper for LX-118A, compatible for AERO-20A only (max 20 u.), black	<b>1'870.00</b>
<b>AX-SF2</b>	Kit to join Sound Force subwoofers (Metal Plate), 5mm, black	<b>60.00</b>
<b>AX-UX218</b>	Rigging bumper for UX-218-R/UX-218A-R, black	<b>2'720.00</b>
<b>AX-COMBO2040</b>	Rigging adapter to combine AERO-20A with AERO-40A, black	<b>630.00</b>
<b>AXC-AT</b>	C-clamp for using mounts with lighting truss	<b>80.00</b>
<b>AXC-ZT</b>	Speaker adaptor (required for TRD-2/TRD-6), black	<b>60.00</b>
<b>AXS-40UX</b>	Kit to stack AERO-40A on top of UX-218-R/UX-218A-R, black	<b>400.00</b>
<b>AXS-AE20</b>	Stacking bracket for AERO-20A systems on the ground or above subwoofers, black	<b>240.00</b>
<b>AXS-AE40</b>	Stacking bracket for AERO-40A systems on the ground or above subwoofers, black	<b>1'260.00</b>
<b>FUN-TRD2</b>	Protective transport cover for TRD-2, black	<b>70.00</b>
<b>FUN-2-UX218</b>	Protective transport cover for 2 u. UX-218/UX-218A on PL-UX218S, black	<b>630.00</b>
<b>FUN-2-UX221</b>	Protective transport cover for 2 u. UX-221/UX-221A on PL-221S, black	<b>700.00</b>
<b>FUN-3-AE40</b>	Protective transport cover for 3 u. AERO-40A on PL-40S, black	<b>580.00</b>
<b>FUN-3-UX218</b>	Protective transport cover for 3 u. UX-218/UX-218A on PL-UX218S, black	<b>820.00</b>
<b>FUN-3-UX218R</b>	Protective transport cover for 3 u. UX-218-R/UX-218A-R on PL-UX218RS, black	<b>800.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>FUN-4-AE20</b>	Protective transport cover for 4 u. AERO-20A on PL-20S, black	<b>560.00</b>
<b>FUN-4-AE40</b>	Protective transport cover for 4 u. AERO-40A on PL-40S, black	<b>630.00</b>
<b>FUN-AE40</b>	Protective transport cover for 1 u. AERO-40A, black	<b>230.00</b>
<b>KIT-R-UX218</b>	Kit to convert 1 u. UX-218/UX-218A into UX-218-R/UX-218A-R, black	<b>1'480.00</b>
<b>KIT-W100</b>	Casters kit for LX-218C/LX-218CA/LX-218C-R/LX-218CA-R, black	<b>170.00</b>
<b>PICKUP-AX-AE12S2</b>	Additional pick-up bar for two lifting points for AX-AE12S2, black	<b>590.00</b>
<b>PICKUP-AX-AE20</b>	Additional pick-up bar for two lifting points for AX-AE20, black	<b>960.00</b>
<b>PICKUP-AX-AE40S3</b>	Additional pick-up bar for two lifting points for AX-AE40S2/AX-AE40S3, black	<b>1'300.00</b>
<b>PICKUP-AX-AE50</b>	Additional pick-up bar for two lifting points for AX-AE50, black	<b>1'300.00</b>
<b>PIN-6C</b>	Lock Pin Ø:6 mm L:15 mm, black	<b>40.00</b>
<b>PIN-6C-W</b>	Lock Pin Ø:6 mm L:15 mm, white	<b>40.00</b>
<b>PIN-6</b>	Lock Pin Ø:6 mm L:23 mm, black	<b>40.00</b>
<b>PIN-6-W</b>	Lock Pin Ø:6 mm L:23 mm, white	<b>40.00</b>
<b>PIN-8C</b>	Lock Pin Ø:8 mm L:22 mm, black	<b>50.00</b>
<b>PIN-8</b>	Lock Pin Ø:8 mm L:30 mm, black	<b>50.00</b>
<b>PIN-8-W</b>	Lock Pin Ø:8 mm L:30 mm, white	<b>50.00</b>
<b>PIN-10</b>	Lock Pin Ø:10 mm L:40 mm	<b>100.00</b>
<b>PIN-12</b>	Lock Pin Ø:12 mm L:50 mm	<b>110.00</b>
<b>PL-20S</b>	Steel transport dolly for AERO-20A (max 4 u.), black	<b>1'500.00</b>
<b>PL-118S</b>	Wooden transport dolly for LX-118A (max 2 u.), black	<b>810.00</b>
<b>PL-221S</b>	Steel transport dolly for UX-221/UX-221A (max 3 u.), black	<b>2'640.00</b>
<b>PL-40S</b>	Steel transport dolly for AERO-40A (max 4 u.), black	<b>1'590.00</b>
<b>PL-UX218S</b>	Wooden transport dolly for UX-218/UX-218A (max 3 u.), black	<b>980.00</b>
<b>PL-UX218RS</b>	Wooden transport dolly for UX-218-R/UX-218A-R (max 3 u.), black	<b>980.00</b>
<b>TRD-2</b>	Aluminum speaker stand for all models with 35mm pole mount socket, black	<b>170.00</b>

**DASNET Accessories**

<b>DASNET-MATRIX99</b>	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out	<b>1'440.00</b>
<b>DASNET-MATRIX99-ETH</b>	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 9 In/9 Out, Ethernet	<b>1'660.00</b>
<b>DASNET-PATCH-26</b>	PATCHbay for DASnet Systems etherCon outputs (data+audio) 2 In/6 Out	<b>680.00</b>
<b>DASNET-PATCH-48</b>	PATCHbay for DASnet Systems, etherCon outputs (data+audio) 4 In/8 Out	<b>870.00</b>
<b>DASNET-PATCH-PW-9</b>	Power PATCH for DASnet Systems, 9 x powerCON TRUE 1 (black-yellow) output	<b>770.00</b>
<b>DASNET-PATCH-PWCON</b>	Power PATCH for DASnet systems, 6 x NAC3MPB powerCON outputs, 230 V	<b>340.00</b>
<b>DASNET-RACK-26</b>	Rack 1xDASNET-PATCH-26+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	<b>5'040.00</b>
<b>DASNET-RACK-48</b>	Rack 1xDASNET-PATCH-48+1xDASNET-PATCH-PWCON+1xDISTRO-RACKNET	<b>5'230.00</b>
<b>DASNET-RACK99-230</b>	Rack 1xDASNET-MATRIX99+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	<b>6'860.00</b>
<b>DASNET-RACK99-230-ETH</b>	Rack 1xDASNET-MATRIX99-ETH+1xDASNET-PATCH-POWER-9+1xDISTRO-RACKNET-32-9	<b>7'250.00</b>
<b>DASNET-SPLITTER</b>	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON NAC3MPB	<b>320.00</b>
<b>DASNET-SPLITTER-TR1</b>	DASnet Splitter 1 In/3 Out for Audio+Data+Power, powerCON TRUE 1	<b>370.00</b>
<b>DISTRO-RACKNET</b>	19" 32A Power Distro+6 Shucko 16A	<b>2'460.00</b>
<b>DISTRO-RACKNET-32-9</b>	19" 32A Power Distro+9 Shucko 16A	<b>2'460.00</b>
<b>RACK-10</b>	Rack DAS Touring 10U	<b>1'450.00</b>
<b>USB-485</b>	KK Systems USB to RS-485 converter	<b>400.00</b>

## Preisliste gültig ab 4. April 2024

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>Cables</b>		
EC-09	0.9m CAT5e etherCON (data+audio) DASnet cable	90.00
EC-2	2m CAT5e etherCON (data+audio) DASnet cable	90.00
EC-20	20m CAT7 etherCON (data+audio) DASnet cable	690.00
ECP-3	3m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	300.00
ECP-20	20m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	810.00
ECP-30	30m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	1'080.00
ECPK-1	1m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	190.00
ECPK-5	5m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	350.00
ECPK-20	20m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	830.00
ECPK-30	30m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	1'170.00 <b>NEW</b>
PLINK1-09	0.9m powerCON TRUE1 cable	50.00

**ARCO Series**

ARCO-4-T	black	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer	180.00
ARCO-4-TW	white	Passive, 50 W, 4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer	180.00
ARCO-24-T	black	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer	240.00
ARCO-24-TW	white	Passive, 100 W, 2x4", 2 way full-range, ABS enclosure, 70 V/100 V line transformer	240.00
ARCO-12SUB	black	Passive, 2x170 W, Dual Voice Coil 12" mountable subwoofer, MDF enclosure	610.00

**ACCESSORIES**

AX-SPG1		28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	40.00
AXA-AC		Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-T/ARCO-24-T, black	40.00
AXA-AC-W		Vertical/Horizontal joining plates for 2 cabinets of ARCO-4-TW/ARCO-24-TW, white	40.00
AXU-AC4		"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-T, black	50.00
AXU-AC4-W		"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-4-TW, white	50.00
AXU-AC24		"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-T, black	60.00
AXU-AC24-W		"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARCO-24-TW, white	60.00
KIT-IP-ARCO		IP54 kit for Arco-4T/24T, black	20.00
KIT-IP-ARCO-W		IP54 kit for Arco-4TW/24TW, white	20.00

**ARTEC 300 Series**

ARTEC-306		Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, black	620.00
ARTEC-306-W		Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, white	620.00
ARTEC-306-T		Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, black	690.00
ARTEC-306-TW		Passive, 100 W, 6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, white	690.00
ARTEC-326		Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, black	810.00
ARTEC-326-W		Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, white	810.00
ARTEC-326-T		Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, black	880.00
ARTEC-326-TW		Passive, 200 W, 2x6", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, white	880.00
ARTEC-308		Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, black	690.00
ARTEC-308-W		Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, white	690.00
ARTEC-308-T		Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, black	750.00
ARTEC-308-TW		Passive, 150 W, 8", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, white	750.00
ARTEC-310.64		Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, black	900.00



**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>ARTEC-310.64-W</b>	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, white	<b>900.00</b>
<b>ARTEC-310.64-T</b>	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V, black	<b>960.00</b>
<b>ARTEC-310.64-TW</b>	Passive, 250 W, 10", 2 way full-range, 60x40 rotatable horn, 70 V/100 V, white	<b>960.00</b>
<b>ARTEC-310.96</b>	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, black	<b>900.00</b>
<b>ARTEC-310.96-W</b>	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, white	<b>900.00</b>
<b>ARTEC-310.96-T</b>	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, black	<b>960.00</b>
<b>ARTEC-310.96-TW</b>	Passive, 250 W, 10", 2 way full-range, 90x60 rotatable horn, 70 V/100 V, white	<b>960.00</b>
<b>ARTEC-312.64</b>	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, black	<b>1'040.00</b>
<b>ARTEC-312.64-W</b>	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, white	<b>1'040.00</b>
<b>ARTEC-312.96</b>	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, black	<b>1'040.00</b>
<b>ARTEC-312.96-W</b>	Passive, 300 W, 12", 2 way full-range, 90x60 rotatable horn, white	<b>1'040.00</b>
<b>ARTEC-315.64</b>	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, black	<b>1'220.00</b>
<b>ARTEC-315.64-W</b>	Passive, 350 W, 15", 2 way full-range, 60x40 rotatable horn, white	<b>1'220.00</b>
<b>ARTEC-315.96</b>	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, black	<b>1'220.00</b>
<b>ARTEC-315.96-W</b>	Passive, 350 W, 15", 2 way full-range, 90x60 rotatable horn, white	<b>1'220.00</b>
<b>ARTEC-320</b>	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, black	<b>2'190.00</b>
<b>ARTEC-320-W</b>	Passive, 500 W, 2x10", 2 way full-range, installation Line Array, white	<b>2'190.00</b>
<b>ARTEC-322S</b>	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black	<b>1'430.00</b>
<b>ARTEC-322S-W</b>	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, white	<b>1'430.00</b>
<b>ACCESSORIES</b>		
<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-AR3</b>	Rigging bumper for ARTEC-320/ARTEC-322S, black	<b>210.00</b>
<b>AX-AR3-W</b>	Rigging bumper for ARTEC-320-W/ARTEC-322S-W, white	<b>210.00</b>
<b>AX-SPG1</b>	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	<b>40.00</b>
<b>AXC-AT</b>	C-clamp for using mounts with lighting truss	<b>80.00</b>
<b>AXF-AR508</b>	Fast adjustable ceiling/truss mount for ARTEC-308/ARTEC-508/ARTEC-508A, black	<b>150.00</b>
<b>AXF-AR508-W</b>	Fast adjustable ceiling/truss mount for ARTEC-308-W/508-W/508A-W, white	<b>150.00</b>
<b>AXF-AR510</b>	Fast adjustable ceiling/truss mount for ARTEC-310/510/510A/SF-10, black	<b>170.00</b>
<b>AXF-AR510-W</b>	Fast adjustable ceiling/truss mount for ARTEC-310-W/510-W/510A-W/SF-10, white	<b>170.00</b>
<b>AXR-AR5</b>	Adjustable flying mount for ARTEC-500/ARTEC-300, black	<b>170.00</b>
<b>AXR-AR5-W</b>	Adjustable flying mount for ARTEC-500/ARTEC-300, white	<b>170.00</b>
<b>AXU-AR312</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96/312.64, black	<b>130.00</b>
<b>AXU-AR312-W</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-312.96-W/312.64-W, white	<b>130.00</b>
<b>AXU-AR315</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96/315.64, black	<b>130.00</b>
<b>AXU-AR315-W</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-315.96-W/315.64-W, white	<b>130.00</b>
<b>AXW-3</b>	Wall mount bracket and safety cable for various models, WLL=16kgf, black	<b>170.00</b>
<b>AXW-3-W</b>	Wall mount bracket and safety cable for various models, WLL=16kgf, white	<b>170.00</b>
<b>JP-320</b>	Joining plate for array assembling ARTEC-320/322S (Included with ARTEC-320), black	<b>90.00</b>
<b>JP-320-W</b>	Joining plate for array assembling ARTEC-320-W/322S-W (Incl. with 320-W), white	<b>90.00</b>
<b>UFB</b>	Universal Fly Bar, black, 16.5 kg (36.3 lb)	<b>530.00</b>

## Preisliste gültig ab 4. April 2024

ARTIKEL

KURZSPEZIFIKATION

UVP (CHF) | INFO

**ARTEC 500 Series**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)
<b>Passive</b>		
<b>ARTEC-506</b>	Passive, 200 W, 6", 2 way full-range, 80x80 horn, black	<b>800.00</b>
<b>ARTEC-526</b>	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, black	<b>1'140.00</b>
<b>ARTEC-508</b>	Passive, 300 W, 8", 2 way full-range, 80x80 horn, black	<b>800.00</b>
<b>ARTEC-510</b>	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, black	<b>1'150.00</b>
<b>ARTEC-S15</b>	Passive, 800 W, 15", band-pass subwoofer, black	<b>1'390.00</b>
<b>ARTEC-506-W</b>	Passive, 200 W, 6", 2 way full-range, 80x80 horn, white	<b>800.00</b>
<b>ARTEC-526-W</b>	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, white	<b>1'140.00</b>
<b>ARTEC-508-W</b>	Passive, 300 W, 8", 2 way full-range, 80x80 horn, white	<b>800.00</b>
<b>ARTEC-510-W</b>	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, white	<b>1'150.00</b>
<b>ARTEC-506-T</b>	Passive, 200 W, 6", 2 way full-range, 80x80 horn, 70 V/100 V, black	<b>890.00</b>
<b>ARTEC-526-T</b>	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, 70 V/100 V, black	<b>1'230.00</b>
<b>ARTEC-508-T</b>	Passive, 300 W, 8", 2 way full-range, 80x80 horn, 70 V/100 V, black	<b>890.00</b>
<b>ARTEC-510-T</b>	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, 70 V/100 V, black	<b>1'240.00</b>
<b>ARTEC-506-TW</b>	Passive, 200 W, 6", 2 way full-range, 80x80 horn, 70 V/100 V, white	<b>890.00</b>
<b>ARTEC-526-TW</b>	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn, 70 V/100 V, white	<b>1'230.00</b>
<b>ARTEC-508-TW</b>	Passive, 300 W, 8", 2 way full-range, 80x80 horn, 70 V/100 V, white	<b>890.00</b>
<b>ARTEC-510-TW</b>	Passive, 400 W, 10", 2 way full-range, 110x50 rotatable horn, 70 V/100 V, white	<b>1'240.00</b>
<b>ARTEC-S15-W</b>	Passive, 800 W, 15", band-pass subwoofer, white	<b>1'390.00</b>

**Active**

<b>ARTEC-506A-230</b>	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 230 V, black	<b>1'610.00</b>
<b>ARTEC-526A-230</b>	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 230 V, black	<b>1'890.00</b>
<b>ARTEC-508A-230</b>	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 230 V, black	<b>1'610.00</b>
<b>ARTEC-510A-230</b>	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 230V, black	<b>2'030.00</b>
<b>ARTEC-S15A-230</b>	Powered, 1000 W, 15", band-pass subwoofer, 230 V, black	<b>3'050.00</b>
<b>ARTEC-506A-W-230</b>	Powered, 500 W, 6", 2 way full-range, 80x80 horn, 230V, white	<b>1'610.00</b>
<b>ARTEC-526A-W-230</b>	Powered, 500 W, 2x6", 2 way full-range, 80x80 horn, 230 V, white	<b>1'890.00</b>
<b>ARTEC-508A-W-230</b>	Powered, 500 W, 8", 2 way full-range, 80x80 horn, 230 V, white	<b>1'610.00</b>
<b>ARTEC-510A-W-230</b>	Powered, 500 W, 10", 2 way full-range, 110x50 rotatable horn, 230 V, white	<b>2'030.00</b>
<b>ARTEC-S15A-W-230</b>	Powered, 1000 W, 15", band-pass subwoofer, 230 V, white	<b>1'390.00</b>

**ACCESSORIES**

<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-SPG1</b>	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	<b>40.00</b>
<b>AX-SPG2</b>	28 mm TV clamp spigot adapter with groove and pin for AXR-AR5 mount	<b>110.00</b>
<b>AXC-ZT</b>	Speaker adaptor (required for TRD-2/TRD-6), black	<b>60.00</b>
<b>AXF-AR508</b>	Fast adjustable ceiling/truss mount bracket for ARTEC-308/508/508A, black	<b>150.00</b>
<b>AXF-AR510</b>	Fast adjustable ceiling/truss mount bracket for ARTEC-310510/510A/SF-10, black	<b>170.00</b>
<b>AXR-AR5</b>	Adjustable flying mount for ARTEC-500/ARTEC-300, black	<b>170.00</b>
<b>AXU-AR506</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-506/ARTEC-506A, black	<b>100.00</b>
<b>AXU-AR526</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/SF-26, black	<b>110.00</b>
<b>AXU-AR508</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-508/ARTEC-508A, black	<b>110.00</b>
<b>AXU-AR510</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/SF-10, black	<b>120.00</b>
<b>AXW-1</b>	Wall mount bracket and safety cable for various models, WLL=12kgf, black	<b>80.00</b>
<b>AXW-3</b>	Wall mount bracket and safety cable for various models, WLL=16kgf, black	<b>170.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>AXW-3-W</b>	Wall mount bracket and safety cable for various models, WLL=16kgf, white	<b>170.00</b>
<b>FUN-TRD2</b>	Protective transport cover for TRD-2, black	<b>70.00</b>
<b>TRD-2</b>	Aluminum speaker stand for all models with 35mm pole mount socket, black	<b>170.00</b>
<b>TRD-6</b>	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub, black	<b>160.00</b>
<b>TRD-7</b>	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub	<b>260.00</b>

**DECO Series**

<b>DECO-5</b>	20 W, 5.25" dual cone passive full-range ceiling speaker, 8 ohm, white	<b>80.00</b>
<b>DECO-5-T</b>	6 W, 5.25" dual cone passive full-range ceiling speaker, 70 V/100 V, white	<b>90.00</b>
<b>DECO-6</b>	40 W, 6.5" two-way passive full-range ceiling speaker, 8 ohm, white	<b>100.00</b>
<b>DECO-6-T</b>	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V, white	<b>110.00</b>
<b>DECO-8</b>	60 W, 8" two-way passive full-range ceiling speaker, 8 ohm, white	<b>130.00</b>
<b>DECO-8-T</b>	30 W, 8" two-way passive full-range ceiling speaker, 70 V/100 V, white	<b>140.00</b>
<b>DECO-6-TB</b>	15 W, 6.5" two-way passive full-range ceiling speaker, 70 V/100 V, w/ Backcan, white	<b>200.00</b>

**ACCESSORIES**

<b>GR-DC5</b>	5" Black Grille	<b>10.00</b>
<b>GR-DC6</b>	6" Black Grille	<b>20.00</b>
<b>GR-DC8</b>	8" Black Grille - Used also with DECO-6TB	<b>20.00</b>

**E11EVEN SOUND Series**

<b>ES-26</b>	Passive, 400 W, 2x6", 2 way full-range, 80x80 horn.	<b>1'490.00</b>
<b>ES-10</b>	Passive, 1600W, 10", 2 way full-range, point source, 110x50 horn	<b>1'520.00</b>
<b>ES-112</b>	Passive, 2000W, 3 way Point source, 90x50 horn	<b>9'640.00</b>
<b>ES-212.64-CX</b>	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, CX, black	<b>5'660.00</b>
<b>ES-212.95-CX</b>	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, CX, black	<b>5'660.00</b>
<b>ES-158</b>	Passive, 2800W, 3-way full range, point source system, 40x30	<b>4'500.00</b>
<b>ES-212</b>	Passive, 800 W, 2x12", compact arrayable band-pass subwoofer, black	<b>1'850.00</b>
<b>ES-215</b>	Passive, 1400 W, 2x15", band-pass subwoofer bass-mid.	<b>4'090.00</b>
<b>ES-218</b>	Passive, 2200 W, 2x18", ground-stackable hi-output crossfire subwoofer, black	<b>8'390.00</b>
<b>ES-221</b>	Passive, 2x2000 W, 2x21", ground-stackable hi-power ultra low frequency subwoofer.	<b>10'550.00</b>

**ACCESSORIES**

<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-SF1</b>	Kit to join Sound Force cabinets (Metal Angle), black	<b>80.00</b>
<b>AX-SF2</b>	Kit to join Sound Force subwoofers (Metal Plate), 5mm, black	<b>60.00</b>
<b>AX-SF3</b>	Joining plate kit to fly Sound Force models, (Metal Plate), 10mm, black	<b>180.00</b>
<b>AX-SF112VA</b>	Kit to stack 1 u. of ES-112 on top of 2 u. of 215 (Metal Base+Right & Left Angles), black	<b>410.00</b>
<b>AX-SF2158</b>	Joining plate for ES-158, black	<b>130.00</b>
<b>AX-SF2215</b>	Kit to stack 2 u. ES-215 on top of subwoofers (Metal Base), black	<b>100.00</b>
<b>AXB-SF30</b>	Stacking platform for fixing SF-30A to the ground, black	<b>380.00</b>
<b>AXF-AR510</b>	Fast adjustable ceiling/truss mount bracket for ARTEC-310510/510A/ES-10, black	<b>170.00</b>
<b>AXR-AR5</b>	Adjustable flying mount for ARTEC-500/ARTEC-300, black	<b>170.00</b>
<b>AXR-AR5-W</b>	Adjustable flying mount for ARTEC-500/ARTEC-300, white	<b>170.00</b>
<b>AXU-AR526</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-526/ARTEC-526A/ES-26, black	<b>110.00</b>



**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>AXU-AR510</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for ARTEC-510/ARTEC-510A/ES-10, black	<b>120.00</b>
<b>AXW-1</b>	Wall mount bracket and safety cable for various models, WLL=12kgf, black	<b>80.00</b>
<b>AXW-3</b>	Wall mount bracket and safety cable for various models, WLL=16kgf, black	<b>170.00</b>
<b>AXW-3-W</b>	Wall mount bracket and safety cable for various models, WLL=16kgf, white	<b>170.00</b>

**EN54-24 Series**

<b>WR-8826-DX</b>	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black	<b>1'500.00</b>
<b>WR-8826-DXG</b>	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, grey	<b>1'500.00</b>
<b>WR-8826-TDXW</b>	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, white, 70/100V line T.	<b>1'630.00</b>
<b>WR-6412-DX</b>	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	<b>2'290.00</b>
<b>WR-6412-DXG</b>	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP56, grey	<b>2'290.00</b>
<b>WR-6415-DX</b>	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	<b>2'560.00</b>
<b>WR-6415-DXG</b>	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, grey	<b>2'560.00</b>

**ACCESSORIES**

<b>AXU-VA4</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for VA-4T, black	<b>80.00</b>
<b>AXU-VA24</b>	"U" bracket, wall/ceiling/truss/TRD-2/TRD-6, for VA-24T, black	<b>80.00</b>
<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-SPG1</b>	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	<b>40.00</b>
<b>AXU-WR8826</b>	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black	<b>170.00</b>
<b>AXU-WR8826-G</b>	"U" bracket, wall/ceiling/truss, for all G versions of WR-8826 models, grey	<b>170.00</b>
<b>AXU-WR6412</b>	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-121S-FX, black	<b>290.00</b>
<b>AXU-WR6412-G</b>	"U" bracket, wall/ceiling/truss, for all G versions of WR-6412 models, grey	<b>290.00</b>
<b>AXU-WR6415</b>	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-151S-FX, black	<b>300.00</b>
<b>AXU-WR6415-G</b>	"U" bracket, wall/ceiling/truss, for all G versions of WR-6415 models, grey	<b>300.00</b>
<b>AXW-1</b>	Wall mount bracket and safety cable for various models, WLL=12kgf, black	<b>80.00</b>
<b>PICKUP-AX-AE12S2</b>	Additional pick-up bar for two lifting points for AX-AE12S2, black	<b>590.00</b>

**EVENT LINE ARRAY Series (active)**

<b>EVENT-26A</b>	Powered, 400 W, 2x 6", 2 way full-range, compact Line Array, black	<b>1'950.00</b>
<b>EVENT-28A</b>	Powered, 650W, 2x 8", 2 way full-range, compact Line Array, black	<b>2'690.00</b> <b>NEW</b>
<b>EVENT-208A-230</b>	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x8", 3 way full-range, compact Line Array, 230V, black	<b>2'700.00</b>
<b>EVENT-210A-230</b>	Powered, 180 W (LF)+180 W (MF)+180 W (HF), 2x10", 3 way full-range, compact Line Array, 230 V, black	<b>3'520.00</b>
<b>EVENT-212A</b>	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, black	<b>5'560.00</b>
<b>EVENT-212.120A</b>	Powered, 500 W (LF)+500 W (MF)+500 W (HF), 2x12", 3 way full-range, Line Array, 120° horizontal dispersion, black	<b>5'560.00</b>
<b>EVENT-115A</b>	Powered, 600 W, 15", arrayable bass-reflex subwoofer, black	<b>2'360.00</b>
<b>EVENT-118A</b>	Powered, 1000 W, 18", arrayable bass-reflex subwoofer, black	<b>3'590.00</b> <b>NEW</b>
<b>EVENT-121A</b>	Powered, 1600 W, 21", horn-bass extended subwoofer, black	<b>5'560.00</b>
<b>EVENT-218A</b>	Powered, 1800 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	<b>4'790.00</b>
<b>EVENT-M210A-230</b>	Powered, 500 W, 2x10", 2 way full-range, stage monitor, 60x50 horn, 230 V, black	<b>2'730.00</b>

## Preisliste gültig ab 4. April 2024

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
	<b>ACCESSORIES</b>	
<b>AX-COMBOEV1208</b>	Rigging adapter to combine EVENT-212A/EVENT-212.120A with EVENT-208A, black	<b>830.00</b>
<b>AX-COMBOEV1210</b>	Rigging adapter to combine EVENT-212A/EVENT-212.120A with EVENT-210A, black	<b>840.00</b>
<b>AX-EV26</b>	Rigging bumper for EVENT-26A (max 16 u.), black	<b>490.00</b>
<b>AX-EV208</b>	Rigging bumper for EVENT-208A (max 16 u.), black	<b>1'110.00</b>
<b>AX-EV210</b>	Rigging bumper for EVENT-210A (max 16 u.), black	<b>1'130.00</b>
<b>AX-EV212</b>	Rigging bumper for EVENT-212A (max 16 u.), black	<b>1'520.00</b>
<b>AXC-ZT</b>	Speaker adaptor (required for TRD-2/TRD-6), black	<b>60.00</b>
<b>AXS-EV26</b>	Stacking bracket for EVENT-26A (max 4 u. when stacked on any sub), black	<b>190.00</b>
<b>AXS-EV208</b>	Stacking bracket for EVENT-208A (max 4 u./max 1 u. using TRD-6/TRD-2), black	<b>460.00</b>
<b>AXS-EV210</b>	Stacking bracket for EVENT-210A (max 4 u./max 1 u. using TRD-6/TRD-2), black	<b>470.00</b>
<b>AXS-EV212</b>	Stacking bracket for EVENT-212A/212.120A systems above 218A or on the ground	<b>570.00</b>
<b>FUN-TRD2</b>	Protective transport cover for TRD-2, black	<b>70.00</b>
<b>FUN-4-EV26</b>	Protective transport cover for 4 u. EVENT-26A on PL-EV26S, black	<b>300.00</b>
<b>FUN-6-EV26</b>	Protective transport cover for 6 u. EVENT-26A on PL-EV26S, black	<b>400.00</b>
<b>FUN-2-EV115</b>	Protective transport cover for 2 u. EVENT-115A on PL-EV115S, black	<b>360.00</b>
<b>FUN-2-EV218</b>	Protective transport cover for 2 u. EVENT-218A on PL-EV218S, black	<b>690.00</b>
<b>FUN-2-EV121</b>	Protective transport cover for 2 u. EVENT-121A on PL-EV121S, black	<b>670.00</b>
<b>FUN-4-EV208</b>	Protective transport cover for 4 u. EVENT-208A on PL-EV208S, black	<b>490.00</b>
<b>FUN-4-EV210</b>	Protective transport cover for 4 u. EVENT-210A on PL-EV210S, black	<b>500.00</b>
<b>FUN-4-EV212</b>	Protective transport cover for 4 u. EVENT-212A on PL-EV212S, black	<b>600.00</b>
<b>JP-EV26</b>	Joining plate for array assembling EVENT-26A/EVENT-115A, black	<b>190.00</b>
<b>PICKUP-AX-EV208</b>	Additional pick-up bar for two lifting points for AX-EV208, black	<b>660.00</b>
<b>PICKUP-AX-EV210</b>	Additional pick-up bar for two lifting points for AX-EV210, black	<b>660.00</b>
<b>PICKUP-AX-EV212</b>	Additional pick-up bar for two lifting points for AX-EV212, black	<b>820.00</b>
<b>PIN-6</b>	Lock Pin Ø:6 mm L:23 mm, black	<b>40.00</b>
<b>PIN-6-W</b>	Lock Pin Ø:6 mm L:23 mm, white	<b>40.00</b>
<b>PIN-8</b>	Lock Pin Ø:8 mm L:30 mm, black	<b>50.00</b>
<b>PIN-8-W</b>	Lock Pin Ø:8 mm L:30 mm, white	<b>50.00</b>
<b>PL-EV26S</b>	Steel transport dolly for EVENT-26A (max 4 u.), black	<b>990.00</b>
<b>PL-EV208S</b>	Steel transport dolly for EVENT-208A (max 4 u.), black	<b>740.00</b>
<b>PL-EV210S</b>	Steel transport dolly for EVENT-210A (max 4 u.), black	<b>770.00</b>
<b>PL-EV212S</b>	Steel transport dolly for EVENT-212A/EVENT-212.120A (max 4 u.), black	<b>880.00</b>
<b>PL-EV115S</b>	Wooden transport dolly for EVENT-115A (max 2 u.), black	<b>620.00</b>
<b>PL-EV218S</b>	Wooden transport dolly for EVENT-218A (max 3 u.), black	<b>730.00</b>
<b>PL-EV121S</b>	Wooden transport dolly for EVENT-121A (max 3 u.), black	<b>680.00</b>
<b>TRD-2</b>	Aluminum speaker stand for all models with 35mm pole mount socket, black	<b>170.00</b>
<b>TRD-6</b>	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub, black	<b>160.00</b>
<b>TRD-7</b>	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite and sub	<b>260.00</b>
<b>AXS-EV28 - NEW</b>	Stacking bracket for EVENT-28A (max 4 u. when stacked on any sub), black	<b>260.00</b> <b>NEW</b>
<b>AX-EV28 - NEW</b>	Rigging bumper for EVENT-28A (max 16 u.), black	<b>570.00</b> <b>NEW</b>
<b>JP-EV28 - NEW</b>	Joining plate for array assembling EVENT-28A/EVENT-118A, black	<b>210.00</b> <b>NEW</b>
<b>FUN-4-EV28 - NEW</b>	Protective transport cover for 4 u. EVENT-28A on PL-EV28S, black	<b>490.00</b> <b>NEW</b>
<b>PL-EV28S - NEW</b>	Steel transport dolly for EVENT-28A (max 4 u.), black	<b>1'190.00</b> <b>NEW</b>
<b>FUN-2-EV118S - NEW</b>	Protective transport cover for 2 u. EVENT-118A on PL-EV118S, black	<b>550.00</b> <b>NEW</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>PL-EV118 - NEW</b>	Wooden transport dolly for EVENT-118A (max 2 u.), black	<b>720.00</b> <b>NEW</b>
<b>PWCONLINK-09</b>	0.9m powerCON NAC3FCB cable	<b>50.00</b>

**HQ Series**

<b>HQ-112.43-DX</b>	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 40x30 rotatable horn, DX, black	<b>7'530.00</b>
<b>HQ-112.64-DX</b>	Passive, 400 W, 12", 2 way full-range, bi-amped or passive, long throw mid-high, 60x40 rotatable horn, DX, black	<b>7'290.00</b>
<b>HQ-112.95-DX</b>	Passive, 400 W, 12", 2 way full-range, bi-amped or passive long throw mid-high, 90x50 rotatable horn, DX, black	<b>7'290.00</b>
<b>HQ-212.64-DX</b>	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive, long throw, 60x40 rotatable horn, DX, black	<b>5'390.00</b>
<b>HQ-212.95-DX</b>	Passive, 800 W, 2x 12", 2 way full-range, bi-amped or passive long throw, 90x50 rotatable horn, DX, black	<b>5'390.00</b>
<b>HQ-218-DX</b>	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex sub, DX, black	<b>4'930.00</b>

**ACCESSORIES**

<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-HQ-X12</b>	Rigging bumper for HQ-112/HQ-212 (WLL=450kg), black	<b>250.00</b>
<b>AXU-HQ212</b>	"U" bracket, wall/ceiling/truss/tripod, for HQ-212.64/HQ-212.95, black	<b>1'200.00</b>
<b>JP-HQ-212</b>	Joining plate for array assembling HQ-212 (WL=360kg), black	<b>790.00</b>
<b>JP-HQ-112</b>	Joining plate for array assembling HQ-112 (WL=430kg), black	<b>570.00</b>
<b>UFB</b>	Universal Fly Bar, black, 16.5 kg (36.3 lb)	<b>530.00</b>

**QUANTUM Series**

<b>Q-3-T</b>	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	<b>260.00</b>
<b>Q-3-TW</b>	Passive, 20 W, 3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	<b>260.00</b>
<b>Q-23-T</b>	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	<b>370.00</b>
<b>Q-23-TW</b>	Passive, 40 W, 2x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	<b>370.00</b>
<b>Q-43-T</b>	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	<b>600.00</b>
<b>Q-43-TW</b>	Passive, 80 W, 4x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	<b>600.00</b>
<b>Q-10</b>	Passive, 250 W, 10", bass-reflex subwoofer, black	<b>680.00</b>
<b>Q-10-W</b>	Passive, 250 W, 10", bass-reflex subwoofer, white	<b>680.00</b>
<b>Q-10A</b>	Powered, 250W, 10", bass-refl x subwoofer, black.	<b>1'310.00</b>
<b>Q-10A-W</b>	Powered, 250W, 10", bass-refl x subwoofer, white.	<b>1'310.00</b>
<b>Q-83-T</b>	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, black	<b>1'200.00</b>
<b>Q-83-TW</b>	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, white	<b>1'200.00</b>
<b>Q-83-TC</b>	Passive, 160 W, 8x3", full-range, Aluminum enclosure, 70 V/100 V line transformer, customizable color.	<b>1'320.00</b>
<b>Q-8</b>	Passive, 200 W, 8", bass-refl x subwoofer, black.	<b>650.00</b>
<b>Q-8-W</b>	Passive, 200 W, 8", bass-refl x subwoofer, white.	<b>650.00</b>

**ACCESSORIES**

<b>AXW-4</b>	Wall mount bracket with vertical and horizontal angle adjustment, WLL=6kgf, black	<b>50.00</b>
<b>AXW-5</b>	Wall mount bracket with a fixed 15° vertical angle for various models, WLL=6kgf, black	<b>40.00</b>
<b>AXS-Q</b>	Stacking bracket for Q-23-T, black	<b>40.00</b>
<b>JP-Q</b>	Joining piece for stacking/array assembling Quantum series,	<b>40.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>JP-Q-W</b>	Joining piece for stacking/array assembling Quantum series, white	<b>40.00</b>
<b>KIT-IP-QUANTUM</b>	IP66 kit for Q-3-T, Q-23-T, Q-43-T	<b>20.00</b>
<b>KIT-IP-QUANTUM-W</b>	IP66 kit for Q-3-T-W, Q-23-T-W, Q-43-T-W, white	<b>20.00</b>
<b>KIT-IP-Q-EN</b>	IP66 kit for Q-83-T	<b>20.00</b>
<b>KIT-IP-Q-EN-W</b>	IP66 kit for Q-83-T-W, white	<b>20.00</b>
<b>KIT-IP-Q-SUB</b>	IP66 kit for Q-8 /Q-10	<b>50.00</b>
<b>KIT-IP-Q-SUB-W</b>	IP66 kit for Q-8 /Q-10, White	<b>50.00</b>
<b>AXU-Q10</b>	"U" bracket, wall/ceiling/truss for Q-10, black.	<b>350.00</b>
<b>AXU-Q10-W</b>	"U" bracket, wall/ceiling/truss for Q-10, white.	<b>350.00</b>
<b>AXW-6</b>	Wall mount bracket for various models, WLL=8kgf, black	<b>160.00</b>
<b>AXW-6-W</b>	Wall mount bracket for various models, WLL=8kgf, white	<b>160.00</b>
<b>AXU-Q8</b>	"U" bracket, wall/ceiling/truss/tripod, for Q-8, black	<b>180.00</b>
<b>AXU-Q8-W</b>	"U" bracket, wall/ceiling/truss/tripod, for Q-8, white	<b>180.00</b>

**ROAD Series (active)**

<b>ROAD-12ALT-230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	<b>3'610.00</b>
<b>ROAD-12ART-230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	<b>3'610.00</b>
<b>ROAD-12ALT-230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	<b>3'610.00</b>
<b>ROAD-12ART-230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	<b>3'610.00</b>
<b>ROAD-12ALT-NET230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	<b>3'890.00</b>
<b>ROAD-12ART-NET230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	<b>3'890.00</b>
<b>ROAD-12ALT-NET230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	<b>3'890.00</b>
<b>ROAD-12ART-NET230</b>	Powered, 770 W, 12", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	<b>3'890.00</b>
<b>ROAD-15ALT-230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	<b>3'790.00</b>
<b>ROAD-15ART-230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	<b>3'790.00</b>
<b>ROAD-15ALT-230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, 230 V, black	<b>3'790.00</b>
<b>ROAD-15ART-230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, 230 V, black	<b>3'790.00</b>
<b>ROAD-15ALT-NET230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	<b>4'070.00</b>
<b>ROAD-15ART-NET230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	<b>4'070.00</b>
<b>ROAD-15ALT-NET230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Left, DASnet, 230 V, black	<b>4'070.00</b>
<b>ROAD-15ART-NET230</b>	Powered, 770 W, 15", 2 way full-range, stage monitor, rotatable horn 60x40, Right, DASnet, 230 V, black	<b>4'070.00</b>

**LOUDSPEAKERS DATA CABLES**

<b>EC-09</b>	0.9m CAT5e etherCON (data+audio) DASnet cable	<b>90.00</b>
<b>EC-2</b>	2m CAT5e etherCON (data+audio) DASnet cable	<b>90.00</b>
<b>EC-20</b>	20m CAT7 etherCON (data+audio) DASnet cable	<b>690.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>ECP-3</b>	3m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	<b>300.00</b>
<b>ECP-20</b>	20m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	<b>810.00</b>
<b>ECP-30</b>	30m Hybrid CAT7 etherCON (data+audio)+powerCON, DASnet cable	<b>1'080.00</b>
<b>ECPK-1</b>	1m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	<b>190.00</b>
<b>ECPK-5</b>	5m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	<b>350.00</b>
<b>ECPK-20</b>	20m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	<b>830.00</b>
<b>ECPK-30 - NEW</b>	30m Hybrid CAT7 etherCON (data+audio)+powerCON TRUE 1, DASnet cable	<b>1'170.00</b>
<b>PLINK1-09</b>	0.9m powerCON TRUE1 cable	<b>50.00</b>

**SPECIAL APPLICATIONS**

<b>BIDRIVER-PLUS</b>	Passive, 300 W, 10", long-throw mid-high coaxial speaker with 2" HF Exit, black	<b>2'350.00</b>
<b>BIDRIVER-PLUS-T</b>	Passive, 150 W, 10", long-throw mid-high coaxial speaker with 2" HF Exit, 70 V/100 V	<b>2'470.00</b>
<b>OVI-12</b>	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, black	<b>680.00</b>
<b>OVI-12-IP54</b>	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, black	<b>760.00</b>
<b>OVI-12-T</b>	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, 70 V/100 V, bk.	<b>780.00</b>
<b>OVI-12-W</b>	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure, white	<b>680.00</b>
<b>OVI-12-W-IP54</b>	Passive, 300 W, 12", coaxial 2 way full-range, polypropylene enclosure IP54, white	<b>760.00</b>

**ACCESSORIES**

<b>AXW-1</b>	Wall mount bracket and safety cable for various models, WLL=12kgf, black	<b>80.00</b>
<b>AXC-OVI12-60</b>	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12, black	<b>130.00</b>
<b>AXC-OVI12-60W</b>	Ceiling tile panel adapter (Metric - 600x600mm) for OVI-12-W, black	<b>130.00</b>
<b>AXC-OVI12-120</b>	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12, black	<b>210.00</b>
<b>AXC-OVI12-120W</b>	Ceiling tile panel adapter (Metric - 600x1200mm) for OVI-12-W, black	<b>210.00</b>
<b>AXC-OVI12-2FT</b>	Ceiling tile panel adapter (US - 2x2 ft) for OVI-12, black	<b>130.00</b>
<b>AXC-OVI12-4FT</b>	Ceiling tile panel adapter (US - 2x4 ft) for OVI-12, black	<b>210.00</b>
<b>AXW-OVI12</b>	Wall mount bracket for OVI-12, black	<b>250.00</b>
<b>AXW-OVI12-W</b>	Wall mount bracket for OVI-12-W, white	<b>250.00</b>

**VANTEC Series**
**Passive**

<b>VANTEC-12</b>	Passive, 500 W, 12", 2 way full-range, 90x50 horn, black	<b>1'010.00</b>
<b>VANTEC-15</b>	Passive, 500 W, 15", 2 way full-range, 90x50 horn, black	<b>1'110.00</b>
<b>VANTEC-215</b>	Passive, 1000 W, 2x15", 2 way full-range, 90x50 horn, black	<b>1'520.00</b>
<b>VANTEC-18</b>	Passive, 1000 W, 18", ground-stackable long excursion bass-reflex subwoofer, black	<b>1'400.00</b>
<b>VANTEC-218</b>	Passive, 2000 W, 2x18", ground-stackable long excursion bass-reflex subwoofer, black	<b>2'050.00</b>

**Active**

<b>VANTEC-12A</b>	Powered, 750 W, 12", 2 way full-range, 90x50 horn, LCD control interface+wireless, black	<b>1'620.00</b>
<b>VANTEC-15A</b>	Powered, 750 W, 15", 2 way full-range, 90x50 horn, LCD control interface+wireless, black	<b>1'810.00</b>
<b>VANTEC-20A</b>	Powered, 500 W (LF)+250 W (HF), 12", 2 way full-range, Curved Source, 90x15 horn, LCD control interface+wireless, black	<b>3'010.00</b>
<b>VANTEC-20A-W</b>	Powered, 500 W (LF)+250 W (HF), 12", 2 way full-range, Curved Source, 90x15 horn, LCD control interface+wireless, white	<b>3'010.00</b>



**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
<b>VANTEC-215A</b>	Powered, 1125 W, 2x15", 3 way full-range, 90x50 horn, LCD control interface+wireless, black	<b>2'330.00</b>
<b>VANTEC-18A</b>	Powered, 1000 W, 18", compact long excursion bass-reflexsubwoofer, black	<b>2'020.00</b>
<b>VANTEC-118A</b>	Powered, 1000 W, 18", long excursion bass-reflexsubwoofer, black	<b>3'010.00</b>
<b>VANTEC-118A-W</b>	Powered, 1000 W, 18", long excursion bass-reflexsubwoofer, white	<b>3'010.00</b>
<b>VANTEC-218A</b>	Powered, 2000 W, 2x18", ground-stackable long excursion bass-reflexsubwoofer, black	<b>3'450.00</b>
<b>ACCESSORIES</b>		
<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-VT20</b>	Rigging bumper for VANTEC-20A (max 5 u.), black	<b>340.00</b>
<b>FUN-TRD2</b>	Protective transport cover for TRD-2, black	<b>70.00</b>
<b>FUN-VT12</b>	Protective transport cover for 1 u. VANTEC-12/VANTEC-12A, black	<b>110.00</b>
<b>FUN-VT15</b>	Protective transport cover for 1 u. VANTEC-15/VANTEC-15A, black	<b>130.00</b>
<b>FUN-VT215</b>	Protective transport cover for 1 u. VANTEC-215/VANTEC-215A, black	<b>180.00</b>
<b>FUN-VT18</b>	Protective transport cover for 1 u. VANTEC-18/VANTEC-18A, black	<b>160.00</b>
<b>FUN-VT218</b>	Protective transport cover for 1 u. VANTEC-218/VANTEC-218A, black	<b>230.00</b>
<b>PL-VT118S</b>	Wooden transport dolly for VANTEC-118A (max 2 u.), black	<b>620.00</b>
<b>PL-VT20S</b>	Steel transport dolly for VANTEC-20A (max 4 u.), black	<b>590.00</b>
<b>TRD-2</b>	Aluminum speaker stand for all models with 35mm pole mount socket, black	<b>170.00</b>
<b>TRD-6</b>	Ring lock pole mount 35 mm x 750 mm for use between satellite and sub, black	<b>160.00</b>
<b>TRD-7</b>	Ring lock expandable (1005 -1485 mm) pole mount for use between satellite & sub	<b>260.00</b>

**WR Series (IP56 Models)**

<b>WR-8826-DX</b>	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, black	<b>1'500.00</b>
<b>WR-8826-TDX</b>	Passive, 200 W, 2x 6", 2 way full-range, 80x80 horn, DX, IP56, 70 V/100 V, black	<b>1'630.00</b>
<b>WR-8826-DXW</b>	Passive, 200 W, 2x6", 2 way full-range, 80x80 horn, DX, IP56, white	<b>1'500.00</b>
<b>WR-6412-DX</b>	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	<b>2'290.00</b>
<b>WR-6412-DXW</b>	Passive, 300 W, 12", 2 way full-range, 60x40 rotatable horn, DX, IP56, white	<b>2'290.00</b>
<b>WR-6415-DX</b>	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	<b>2'560.00</b>
<b>WR-6415-DXW</b>	Passive, 300 W, 15", 2 way full-range, 60x40 rotatable horn, DX, IP56, black	<b>2'560.00</b>
<b>WR-121S-DX</b>	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP56, black	<b>2'290.00</b>
<b>WR-121S-DXW</b>	Passive, 600 W, 12", compact arrayable subwoofer, DX, IP56, white	<b>2'290.00</b>
<b>WR-151S-DX</b>	Passive, 800 W, 15", compact arrayable subwoofer, DX, IP56, black	<b>2'340.00</b>
<b>WR-151S-DXW</b>	Passive, 800 W, 15", compact arrayable subwoofer, DX, IP56, black	<b>2'340.00</b>
<b>WR-218S-DX</b>	Passive, 1800 W, 2x 18", ground-stackable long excursion bass-reflex sub, DX, black	<b>4'250.00</b>
<b>WR-218S-DXW</b>	Passive, 1800 W, 2x 18", ground-stackable long excursion bass-reflex sub, DX, white	<b>4'250.00</b>
<b>WR-320-DX</b>	Passive, 500 W, 2x 10", 2 way full-range installation Line Array, DX, black	<b>2'740.00</b>
<b>WR-320-DXW</b>	Passive, 500 W, 2x 10", 2 way full-range installation Line Array, DX, white	<b>2'740.00</b>
<b>WR-322S-DX</b>	Passive, 800 W, 2x 12", compact arrayable band-pass subwoofer, DX, black	<b>2'650.00</b>
<b>WR-322S-DXW</b>	Passive, 800 W, 2x 12", compact arrayable band-pass subwoofer, DX, white	<b>2'650.00</b>
<b>WR-9606-DX</b>	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, black.	<b>1'210.00</b>
<b>WR-9606-TDX</b>	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, 70 V/100 V, black.	<b>1'330.00</b>
<b>WR-9606-DXW</b>	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, white.	<b>1'210.00</b>
<b>WR-9606-TDXW</b>	Passive, 100 W, 6", 2 way full-range, 90x60 horn, DX, IP56, 70 V/100 V, white.	<b>1'330.00</b>

**Preisliste gültig ab 4. April 2024**

ARTIKEL	KURZSPEZIFIKATION	UVP (CHF)   INFO
	<b>ACCESSORIES</b>	
<b>ANL-2</b>	Set of 4 M10x40 forged steel eyebolts+4 carabiners, for flying	<b>70.00</b>
<b>AX-WR300</b>	Rigging bumper for all models WR-320-FX/WR-322S-FX, black	<b>450.00</b>
<b>AX-WR300-W</b>	Rigging bumper for all models WR-320-DXW/WR-322S-DXW, white	<b>450.00</b>
<b>AX-SPG1</b>	28 mm TV clamp spigot adapter with M10 thread for AXU/AXF brackets	<b>40.00</b>
<b>AXU-WR8826</b>	"U" bracket, wall/ceiling/truss, for all WR-8826 models, black	<b>170.00</b>
<b>AXU-WR8826-W</b>	"U" bracket, wall/ceiling/truss, for all W versions of WR-8826 models, white	<b>170.00</b>
<b>AXW-1</b>	Wall mount bracket and safety cable for various models, WLL=12kgf, black	<b>80.00</b>
<b>AXW-1-W</b>	Wall mount bracket and safety cable for various models, WLL=12kgf, white	<b>80.00</b>
<b>AXU-WR6412</b>	"U" bracket, wall/ceiling/truss, for all WR-6412 models and WR-121S-FX, black	<b>290.00</b>
<b>AXU-WR6412-W</b>	"U" bracket, wall/ceiling/truss, for all W versions of WR-6412 & WR-121S-FXW, white	<b>290.00</b>
<b>AXU-WR6415</b>	"U" bracket, wall/ceiling/truss, for all WR-6415 models and WR-151S-FX, black	<b>300.00</b>
<b>AXU-WR6415-W</b>	"U" bracket, wall/ceiling/truss, for all W versions of WR-6415 & WR-151S-FXW, white	<b>300.00</b>
<b>JP-WR320</b>	Joining plate for array assembling WR-320-FX/322S-FX (Incl. with WR-320-FX), black	<b>150.00</b>
<b>JP-WR320-W</b>	Joining plate for array assembling WR-320-DXW/322S-DXW, (Incl. with 320-DXW), white	<b>150.00</b>