


**SHOW LIGHTING**  
 Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>PIXEL LED BAR Series</b>			
PIX10012-RGBW	PIXEL LED BAR RGBW 230VAC, 190W, L.100CM	2'530.00	✓
PIX05006-RGBW	PIXEL LED BAR RGBW 230VAC, 100W, L.50CM	1'650.00	✓
PIX10012-NW	PIXEL LED BAR 4000K, 230VAC, 110W, L.100CM	1'800.00	✓
PIX05006-NW	PIXEL LED BAR 4000K, 230VAC, 65W, L. 50CM	1'370.00	✓
<b>LED TUBE MEDIA VIDEOS Series</b>			
TPIX20080-RGB	TUBE MEDIA VIDEO 24Vdc, 36W, RGB, IP65, L.210CM	1'030.00	✓
TPIX15060-RGB	TUBE MEDIA VIDEO 24Vdc, 27W, RGB, IP65, L.160CM	1'030.00	✓
TPIX10040-RGB	TUBE MEDIA VIDEO 24Vdc, 18W, RGB, IP65, L.110CM	570.00	✓
TPIX05020-RGB	TUBE MEDIA VIDEO 24Vdc, 9W, RGB, IP65, L.60CM	330.00	✓
TPIX20081-RGB	TUBE MEDIA VIDEO 24Vdc, 36W, RGB, IP41, L.206CM	970.00	✓
TPIX15061-RGB	TUBE MEDIA VIDEO 24Vdc, 27W, RGB, IP41, L.156CM	970.00	✓
TPIX10041-RGB	TUBE MEDIA VIDEO 24Vdc, 18W, RGB, IP41, L.106CM	530.00	✓
TPIX05021-RGB	TUBE MEDIA VIDEO 24Vdc, 9W, RGB, IP41, L.56CM	295.00	✓
<b>ACCESSORIES</b>			
PR0005P	FEMALE CONNECTOR	18.50	✓
PR0005S	MALE CONNECTOR	18.50	✓
<b>FRESNEL LED 600 CCT (variable white)</b>			
SPTF-Z6000755-CCT	FRESNEL 230VAC, 600W, 2700K-6500K, MOTORIZED ZOOM 6°-47°, CRI>95	5'000.00	✓
SPTF-6000755-CCT	FRESNEL 230VAC, 600W, 2700K-6500K, MANUAL ZOOM 6°-47°, CRI>95	4'680.00	✓
<b>FRESNEL LED 450 RGBW</b>			
SPTFZ-4500755-RGBW	FRESNEL 230VAC, 450W, RGBW, MOTORIZED ZOOM 7°-56°, CRI>95	4'750.00	✓
SPTF-4500755-RGBW	FRESNEL 230VAC, 450W, RGBW, MANUAL ZOOM 7°-56°, CRI>95	3'960.00	✓
<b>FRESNEL LED 300 Series (cool / warm white, manual Dimm)</b>			
SPTF-Z300950DD-WW	FRESNEL 230VAC, 300W, WARM WHITE 3150K, MOTORIZED ZOOM 9°-50°, CRI>95	3'000.00	✓
SPTF-Z300950DD-W	FRESNEL 230VAC, 300W, COOL WHITE 6000K, MOTORIZED ZOOM 9°-50°, CRI>95	3'000.00	✓
SPTF-300950DD-WW	FRESNEL 230VAC, 300W, WARM WHITE 3150K, MANUAL ZOOM 9°-50°, CRI>95	2'570.00	✓
SPTF-300950DD-W	FRESNEL 230VAC, 300W, COOL WHITE 6000K, MANUAL ZOOM 9°-50°, CRI>95	2'570.00	✓
SPTF-300950D-WW	FRESNEL 230VAC, 300W, WARM WHITE 3150K, MANUAL DIMM & ZOOM 9°-50°, CRI>95	2'100.00	✓
SPTF-300950D-W	FRESNEL 230VAC, 300W, COOL WHITE 6000K, MANUAL DIMM & ZOOM 9°-50°, CRI>95	2'100.00	✓


**SHOW LIGHTING**  
*Catalogue*
**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>FRESNEL LED 250 Series (RGBW)</b>			
SPTF-Z2501471-RGBW	FRESNEL 230VAC, 250W, RGBW, MOTORIZED ZOOM 6°-58°, CRI>95	3'420.00	✓
SPTF-2501471-RGBW	FRESNEL 230VAC, 250W, RGBW, MANUAL ZOOM 6°-58°, CRI>95	2'770.00	✓
<b>ORO PC LED SPOT CCT / RGBW (variable white &amp; RGBW)</b>			
SPT-Z2001660TD-CCT	PC SPOT 230VAC, 160W, 2700K-6500K, MOTORIZED ZOOM 12°-51°, CRI>95	2'620.00	✓
SPT-Z2001660TD-RGBW	PC SPOT 230VAC, 160W, RGBW, MOTORIZED ZOOM 15°-60°, CRI>95	2'390.00	✓
<b>FRESNEL LED 160 Series (cool &amp; warm white)</b>			
SPTF2001066LD-WW	FRESNEL 230VAC, 160W, WARM WHITE 3150K, MOTORIZED ZOOM 14°-71°, CRI>95	2'370.00	✓
SPTF2001066LD-W	FRESNEL 230VAC, 160W, COOL WHITE 5600K, MOTORIZED ZOOM 14°-71°, CRI>95	2'370.00	✓
SPTF2001065LD-WW	FRESNEL 230VAC, 160W, WARM WHITE 3150K, MANUAL ZOOM 14°-71°, CRI>95	2'100.00	✓
SPTF2001065LD-W	FRESNEL 230VAC, 160W, COOL WHITE 5600K, MANUAL ZOOM 14°-71°, CRI>95	2'100.00	✓
<b>FRESNEL LED 110 Series (cool &amp; warm white) – NO FANS/NO NOISE</b>			
SPTF1801064LD-WW	FRESNEL 230VAC, 110W, WARM WHITE 3150K, MANUAL ZOOM 9°-57°, CRI>95	1'650.00	✓
SPTF1801064LD-W	FRESNEL 230VAC, 110W, COOL WHITE 3150K, MANUAL ZOOM 9°-57°, CRI>95	1'650.00	✓
<b>DALI PC LED Series (cool, natural &amp; warm white)</b>			
<b>DMX / RDM Control</b>			
SPTD7055-WW	PC SPOT 230VAC, 55W, WARM WHITE 3000K, ZOOM 7°-48°, CRI>95	1'100.00	✓
SPTD7055-NW	PC SPOT 230VAC, 55W, NATURAL WHITE 4000K, ZOOM 7°-48°, CRI>95	1'100.00	✓
SPTD7055-W	PC SPOT 230VAC, 55W, COOL WHITE 5700K, ZOOM 7°-48°, CRI>95	1'100.00	✓
<b>manual dimmer on board</b>			
SPTD7050P-WW	PC SPOT 230VAC, 55W, WARM WHITE 3000K, ZOOM 7°-48°, CRI>95	800.00	✓
SPTD7055P-NW	PC SPOT 230VAC, 55W, NATURAL WHITE 4000K, ZOOM 7°-48°, CRI>95	800.00	✓
SPTD7055P-W	PC SPOT 230VAC, 55W, COOL WHITE 5700K, ZOOM 7°-48°, CRI>95	800.00	✓
<b>cut phase dimmable</b>			
SPTD7050P-WW	PC SPOT 230VAC, 35W, WARM WHITE 3000K, ZOOM 7°-48°, CRI>95	630.00	✓
SPTD7055P-NW	PC SPOT 230VAC, 35W, NATURAL WHITE 4000K, ZOOM 7°-48°, CRI>95	630.00	✓
SPTD7055P-W	PC SPOT 230VAC, 35W, COOL WHITE 5700K, ZOOM 7°-48°, CRI>95	630.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>Accessories for Theater Spots</b>			
<b>600 &amp; 450 Series</b>			
AC1086	Bardoor 4 leaves on a rotating base	240.00	✓
AC187	Filter frame	25.00	✓
<b>300 / 250 / 110 Series</b>			
AC210	Bardoor 4 leaves on a rotating base	170.00	✓
AC180	Filter frame	23.00	✓
<b>ORO &amp; 160 Series</b>			
PR2001660	Bardoor 4 leaves on a rotating base	190.00	✓
AC181	Filter frame	24.00	✓
<b>DALI Series</b>			
PR8060	Bardoor 4 leaves on a rotating base	80.00	✓
AC182	Filter frame	21.00	✓

### LED PROFILE 450w RGBW – completely motorized!

PRF-4501223-RGBW	Profile LED SPOT, 450W, 230Vac, RGBWhite, DMX/RDM, motorized Zoom 8°-12° & Focus, motorized independent steel shutter blades (4pcs.), motorized Iris, CRI>95	7'700.00	✓
------------------	--	----------	---

### LED PROFILE 300w • 11°-27° • white

PRF-3001127D-WW	Profile LED SPOT, 300W, 230Vac, <b>warm white (3150K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'440.00	✓
PRF-3001127D-W	Profile LED SPOT, 300W, 230Vac, <b>cool white (6000K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'440.00	✓
PRF-3001127-WW	Profile LED SPOT, same Features like PRF-3001127D-WW, but with <b>manual Dimmer</b> on the back side	2'980.00	✓
PRF-3001127-W	Profile LED SPOT, same Features like PRF-3001127D-W, but with <b>manual Dimmer</b> on the back side	2'980.00	✓

### LED PROFILE 300w • 20°-40° • white

PRF-3002040D-WW	Profile LED SPOT, 300W, 230Vac, <b>warm white (3150K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'490.00	✓
PRF-3002040D-W	Profile LED SPOT, 300W, 230Vac, <b>cool white (6000K)</b> , Zoom 11°-27°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'490.00	✓
PRF-3002040-WW	Profile LED SPOT, same Features like PRF-3001127D-WW, but with <b>manual Dimmer</b> on the back side	3'030.00	✓
PRF-3002040-W	Profile LED SPOT, same Features like PRF-3001127D-W, but with <b>manual Dimmer</b> on the back side	3'030.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>LED PROFILE 250w • RGBW</b>			
PRF-2501223-RGBW	Profile LED SPOT, 250W, 230Vac, RGBWhite, Zoom <b>12°-23°</b> , Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'530.00	✓
PRF-2501223-RGBW	Profile LED SPOT, 250W, 230Vac, RGBWhite, Zoom <b>23°-35°</b> , Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	3'480.00	✓
<b>LED PROFILE 160w • 18°-35° • white</b>			
PRF-1802035BD-WW	Profile LED SPOT, 160W, 230Vac, <b>warm white (3000K)</b> , Zoom 18°-35°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'940.00	✓
PRF-1802035BD-NW	Profile LED SPOT, 160W, 230Vac, <b>natural white (4000K)</b> , Zoom 18°-35°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'940.00	✓
PRF-1802035BD-W	Profile LED SPOT, 160W, 230Vac, <b>warm white (5700K)</b> , Zoom 18°-35°, Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'940.00	✓
PRF-1802035B-WW	Profile LED SPOT, same Features like PRF-1802035BD-WW, but with <b>manual Dimmer</b> on the back side	2'360.00	✓
PRF-1802035B-NW	Profile LED SPOT, same Features like PRF-1802035BD-NW, but with <b>manual Dimmer</b> on the back side	2'360.00	✓
PRF-1802035B-W	Profile LED SPOT, same Features like PRF-1802035BD-W, but with <b>manual Dimmer</b> on the back side	2'360.00	✓
<b>GIOVE MK2 LED PROFILE 200w • 26° • RGBWAL</b>			
PRF-21526D-RGBWAL	Profile LED SPOT, 200W, RGBWAL (red, green, blue, white, amber & lime), <b>26°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	TBA	✓
<b>LED PROFILE 120w • 14°-30° • RGBW</b>			
PRF-1201328-RGBW	Profile LED SPOT, 250W, 230Vac, <b>RGBWhite</b> , Zoom <b>14°-30°</b> , Focus, 4 Steel Shutter Blades included, (Iris & Gobo Holder optional), max. Noise: 0-8 dB, CRI>95	2'540.00	✓
<b>BARIO LED PROFILE 120w • 19°-35° (cool, natural &amp; warm white)</b>			
<b>DMX / RDM Control</b>			
PRF-0501935D-WW	Profile LED SPOT, 55W, 230Vac, <b>warm white (3000K)</b> , Zoom <b>19°-35°</b> , Focus, Diameter, 4 Steel Shutter Blades included, (Iris optional), CRI>95	1'580.00	✓
PRF-0501935D-NW	Profile LED SPOT, 55W, 230Vac, <b>natural white (4000K)</b> , Zoom <b>19°-35°</b> , Focus, Diameter, 4 Steel Shutter Blades included, (Iris optional), CRI>95	1'580.00	✓
PRF-0501935D-W	Profile LED SPOT, 55W, 230Vac, <b>cool white (5700K)</b> , Zoom <b>19°-35°</b> , Focus, Diameter, 4 Steel Shutter Blades included, (Iris optional), CRI>95	1'580.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>manual dimmer on board</b>			
PRF-0501935-WW	Profile LED SPOT, same Features like PRF-0501935D-WW, but with <b>manual Dimmer</b> on the back side	1'350.00	✓
PRF-0501935-NW	Profile LED SPOT, same Features like PRF-0501935D-NW, but with <b>manual Dimmer</b> on the back side	1'350.00	✓
PRF-0501935-W	Profile LED SPOT, same Features like PRF-0501935D-W, but with <b>manual Dimmer</b> on the back side	1'350.00	✓
<b>cut phase dimmable</b>			
PRF-0351935-WW	Profile LED SPOT, same Features like PRF-0501935D-WW, but 35W & dimmable by a cut phase dimmer	990.00	✓
PRF-0351935-NW	Profile LED SPOT, same Features like PRF-0501935D-NW, but 35W & dimmable by a cut phase dimmer	990.00	✓
PRF-0351935-W	Profile LED SPOT, same Features like PRF-0501935D-W, but 35W & dimmable by a cut phase dimmer	990.00	✓

<b>SHADOW LED PROFILE 60w · 19°-36° · RGBW</b>		<b>smart Series</b>	
PRF-0611936N-RGBW	Profile LED SPOT, 60W, 230Vac, <b>RGBWhite</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'490.00	new

<b>SHADOW LED PROFILE 45w · 19°-36° · cool, natural &amp; warm white</b>		<b>smart Series</b>	
PRF-0451936N-WW	Profile LED SPOT, 45W, 230Vac, <b>warm white 3000K</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'220.00	new
PRF-0451936N-NW	Profile LED SPOT, 45W, 230Vac, <b>natural white 4000K</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'220.00	new
PRF-0451936N-W	Profile LED SPOT, 45W, 230Vac, <b>cool white 5100K</b> , Zoom <b>19°-36°</b> , Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	1'220.00	new

<b>SHADOW LED PROFILE 30w · 26° · cool &amp; warm white</b>		<b>mini Series</b>	
PRF-0451936N-WW	Profile LED SPOT, 30W, 230Vac, <b>warm white 3000K</b> , 26°, Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	650.00	new
PRF-0451936N-W	Profile LED SPOT, 30W, 230Vac, <b>cool white 5100K</b> , Zoom 26°, Focus, 4 Steel Shutter Blades included, (Gobo Holder optional), max. Noise: 0 dB, CRI>95	650.00	new

### Accessories for Profile Spots

#### 450 / 300 / 250 / 160 / 120 Series

AC819	Gobo Holder (for all models above)	65.00	✓
AC837	Iris (for all models above, except. 450)	230.00	✓



## SHOW LIGHTING Catalogue

Preisliste gültig ab 1. Mai 2019

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>GIOVE MK2 &amp; BARIO</b>			
AC2100	Gobo Holder (for GIOVE MK2 Profile)	97.00	✓
AC830	Iris (for BARIO Profile)	200.00	✓
<b>SHADOW Spot Profile 60 &amp; 45 (smart) Series</b>			
AC0611936	Gobo Holder (for Gobo Ø 37.5mm / Image Ø 26mm)	TBA	new
APL2443N	Track Adaptor (for Eurotrack dimmable standard)	28.00	new
<b>MINI SHADOW Spot Profile 30 (mini) Series</b>			
AC03026	Gobo Holder (for Gobo Ø 37.5mm / Image Ø 24mm)	TBA	new
APL2443N	Track Adaptor (for Eurotrack dimmable standard)	28.00	new
BA03019	19° Beam Optics Profiler (Gobo Holder included)	320.00	new
BA03036	36° Beam Optics Profiler (Gobo Holder included)	320.00	new
BA03050	50° Beam Optics Profiler (Gobo Holder included)	320.00	new

LED FLOOD LIGHT 100/200w · (integrated Barndoor 4 leaves)		MARTE Series	
FDL-100120DD95-CCT	MARTE 100 CCT, 100W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>2 Potentiometers</b> for C.Temperatur & Dimmer, max. Noise: 0 dB, CRI>95	1'650.00	✓
FDL-100120DD-CCT	MARTE 100 CCT, 100W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>without Knobs</b> adjustment, max. Noise: 0 dB, CRI>95	1'440.00	✓
FDL-200120DD95-CCT	MARTE 200 CCT, 200W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>2 Potentiometers</b> for C.Temperatur & Dimmer, max. Noise: 0 dB, CRI>95	2'300.00	✓
FDL-200120DD-CCT	MARTE 200 CCT, 200W, 230Vac, <b>color temperature adjustable (3000-5700K)</b> , 120°, DMX/RDM, <b>without Knobs</b> adjustment, max. Noise: 0 dB, CRI>95	2'160.00	✓

LED FLOOD LIGHT 200 / 300w · (130° asymmetrical)		SCENA Series	
FDL-220100A-RGBW	SCENA 200 RGBW, <b>200W</b> , 230Vac, <b>RGBWhite</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	1'730.00	✓
FDL-220100A-WW	SCENA 200 RGBW, <b>200W</b> , 230Vac, <b>warm white (3000K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	1'730.00	✓
FDL-220100A-W	SCENA 200 RGBW, <b>200W</b> , 230Vac, <b>cool white (5700K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	1'730.00	✓
FDL-320100A-RGBW	SCENA 300 RGBW, <b>300W</b> , 230Vac, <b>RGBWhite</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	2'680.00	✓
FDL-320100A-WW	SCENA 300 RGBW, <b>300W</b> , 230Vac, <b>warm white (3000K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	2'680.00	✓
FDL-320100A-W	SCENA 300 RGBW, <b>300W</b> , 230Vac, <b>cool white (5700K)</b> , 130° asymmetrical, DMX/RDM, max. Noise: 0-8 dB, CRI>95	2'680.00	✓
<b>ACCESSORIES</b>			
PR220100	Barndoor 4 leaves (for SCENA 200W)	195.00	✓
PR320100	Barndoor 4 leaves (for SCENA 300W)	220.00	✓





**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>LED PAR • RGBWA</b>		<b>IP65</b>	
AR3333-RGBWA	PAR LED RGBWA, 90W, 100-240Vac, <b>RGBWA</b> , 35°, <b>IP65</b> , max. Noise: 0 dB, CRI>95	720.00	✓
<b>LED PAR • RGBWAL</b>		<b>SUPER PAR 200</b>	
PAR-20035RGBAL	PAR LED RGBWA, <b>200W</b> , 100-240Vac, <b>RGBWAL</b> , 35°, <b>max. Noise: 0 dB</b> , CRI>95	2'820.00	✓
PAR-20020RGBAL	PAR LED RGBWA, <b>200W</b> , 100-240Vac, <b>RGBWAL</b> , 20°, <b>max. Noise: 0 dB</b> , CRI>95	2'820.00	✓
<b>LED FOLLOWSPOT • MOTORIZED • Controller included</b>		<b>450W / 650W</b>	
FS-S-4500811-RGBW	Followspot LED, <b>450W</b> , 230Vac, RGBW, CRI>95, Focus and Zoom 7°-10° adjustable, mechanical blackout, DMX/RDM or Manual by <b>dedicated on-board (big) console</b> , <b>Functions:</b> motorized Focus, motorized Iris, digital color mixing with 4 preset colors and 4 color-preset memorization button recall, linear digital dimmer, fast digital Blackout, motorized profile-shutter on horizontal axis, motorized profile-shutter on horizontal axis, manual rotation of the shaped light, manual zoom adjustable from 7° to 10°. Seat equipped for inserting the gobo holder, max. Noise: 25 dB	7'200.00	new
FS-L-4500811-RGBW	Followspot LED, <b>450W</b> , 230Vac, RGBW, CRI>95, Focus and Zoom 7°-10° adjustable, mechanical blackout, DMX/RDM or Manual by <b>dedicated on-board (small) console</b> , <b>Functions:</b> manual Focus, manual Iris, digital color mixing with 4 preset colors and 2 color-preset memorization button recall, linear digital dimmer, fast digital Blackout, manual profile system, manual zoom adjustable from 7°-10°. Seat equipped for inserting the gobo holder, max. Noise: 25 dB	4'890.00	new
FS-S-6001345-W	Followspot LED, <b>650W</b> , 230Vac, RGBW, CRI>95, Focus and Zoom 7°-11° adjustable, mechanical blackout, DMX/RDM or Manual by <b>dedicated on-board (medium) console</b> , <b>Functions:</b> motorized Focus, motorized Iris, colors wheel, button color recall linear digital dimmer, fast digital Blackout, motorized profile-shutter on horizontal axis, motorized profile-shutter on horizontal axis, manual zoom adjustable from 7° to 11°. Seat equipped for inserting the gobo holder, max. Noise: 25 dB	8'640.00	new
<b>LED FOLLOWSPOT • manual control</b>		<b>650W / 300W</b>	
FS-6000710DP-W	Followspot LED, <b>650W</b> , 230Vac, 6000K, CRI>95, Focus and Zoom 7°-10° adjustable, supplied with manually adjustable internal beam-shaping system by four steel blades, ready for inclusion of iris (included) and gobo holder (optional). Manual color-changers system for 6 color filters and blackout, max. Noise: 25 dB	4'990.00	✓
FS-3001116DP-W	Followspot LED, <b>300W</b> , 230Vac, 6000K, CRI>95, Focus and Zoom 11°-16° adjustable, supplied with manually adjustable internal beam-shaping system by four steel blades, ready for inclusion of iris (included) and gobo holder (optional). Manual color-changers system for 6 color filters and blackout, max. Noise: 25 dB	4'100.00	✓
<b>Accessories for Follow Spots</b>			
AC819	Gobo Holder (for all models above)	65.00	✓
AC318N	Followspot Stand Type-5 (max. height: 175cm / min. height: 153cm, Loading: 40 kg)	360.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL                      BEZEICHNUNG                      UVP (CHF)                      Info

## LED MOVING LIGHTS

ASL-310Z	<b>ZOOM SPOT LED 300MH</b> • A 300W white LED lamp, 7500K 8/16 bit smooth and precise resolution for PAN/TIL 540°/630° PAN and 270° TILT, Scan position memory, auto reposition after unexpected movement, Linear motorized zoom with 12° to 36° beam angle, 1 Rotatable gobo wheel with 7 rotatable and interchangeable glass gobos plus open with speed adjustable, stream effect, dithering effect and rotatable clockwise or anticlockwise, Gobo indexing, Gobo size 26.9mm (external dimensions)/21mm (inner dimensions), 1 Static gobo wheel with 9 gobos plus open, Gobo overlay (gobo morphing), 1 Color wheel with 7 colors plus open. Variable direction rainbow with speed adjustable, 2.5m-15m electric focus. Motorized linear iris, 3-Facet prism with variable speed and direction, Variable linear frost filter (Hybrid effect for wash), 0-100% Linear LED dimmer, 25T/sec. Shutter/Strobe effect with variable speed. Preset variable / random strobe and dimming pulse effect, 14/15/17 DMX channels USITT DMX-512 DMX512, master-slave, and sound activated controllable or auto, operation(8 built-in programs) DMX recorder and edit function integrated.	6'150.00	✓
ACL-450-RGBW	<b>WASH ZOOM LED 450MH</b> • LED Wash 450 Zoom is the most versatile and bright Wash LED moving head in its range, suitable for all top applications. A perfect color mixing and a uniform projection make LED Wash 450 Zoom the best choice on the market. LED Wash 450 Zoom is equipped with 30 high power OSTAR RGBW LEDs combined with a dedicated optical system, delivering 15,000 Lumens. Perfect RGBW color mixing, High quality optical system, Linear zoom 8° - 50°, Adjustable color temperature 2700K-8000K, silent operation (only 15 dBI), 10,500 lux @ 5 m, Free pan rotation system lightweight: only 10.5 kg	7'490.00	✓

## PROMO 5 LED • Effect / Gobo Projector

**160W**

PRF0150-W	Promo 5 LED it's a rotating image luminaire that features either a rotating or fixed gobo. <b>FEATURES:</b> - 160W ultra-bright and high-quality LED 5500K. - CRI>90 - 1 Rotating gobo, interchangeable - Continuous gobo rotation with On/Off switch - Double gobos accessory for water and snow effect is available - Adjustable Zoom 20° - 40° - Adjustable Focus - Power consumption 160W - Available cover for outdoor installation (COVER150)	1'860.00	✓
<b>Accessories for PROMO 5</b>			
COVER150	Cover for outdoor installation	225.00	✓
EFR0150	Motor and plate kit for continuous rotating	345.00	✓
KITACQUA150	Kit with color filter and glasses for water effect	250.00	✓





**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL      BEZEICHNUNG      UVP (CHF)      Info

## FIBER OPTICS LUMINAIRE

**Indoor**

AR2951-RGBW	<p>This powerful fiber optics luminaire is available only in the Elite series. It is fitted with an aluminum body and mounts a <b>250W LED light source</b>. RGB+W color mixing is controllable via standard DMX signal. Moreover, the adjustment of the rotation speed as well as with standard DMX512 signal, can also be performed through a simple rotative potentiometer. This makes it the ideal unit where both energy savings and flexibility of usage are required. The unit can mount fiber optics bundles with diameters from 8.3 to 28 mm in size. This luminaire, like all those of the Elite Series is made in Italy and contains premium components such as high performance power supply featuring ripple-free technology and color temperature persistence with high MacAdam classification.</p> <ul style="list-style-type: none"> <li>- 230 V ac 50Hz, 250W</li> <li>- 250W RGBW interchangeable LED Module</li> <li>- Color mixing RGBW</li> <li>- DMX 512 control</li> <li>- 5/8 selectable DMX Channels</li> <li>- Linear dimmer 0-100%</li> <li>- DMX dimmer</li> <li>- Digital display</li> <li>- Control connections, Neutrik XLR 5P In&amp;Out</li> <li>- Power socket IEC320</li> <li>- Aluminium and steel plate body. Scratch resistant black epoxy powder paint</li> <li>- Fiber adaptor 30mm</li> <li>- IP20</li> <li>- Insulation class I</li> <li>- Suitable to be fitted on normally inflammable surfaces</li> </ul>	2'730.00	✓
AR2953-W	<p>This fiber optics luminaire is available only in the Elite series and it is fitted with an aluminum body and utilizes an <b>80W LED light source</b>. It is available with both a DMX dimmable version and an ON-OFF version. The fiber optics combined with LED light sources allow substantial energy saving, making it ideal where both energy efficiency and flexibility of usage are required. The unit can mount fiber optics bundles with diameters from 8.3 to 28 mm in size. This luminaire, like all those of the Elite Series is made in Italy and contains premium components such as high performance power supply featuring ripple-free technology and color temperature persistence with high MacAdam classification.</p> <ul style="list-style-type: none"> <li>- 230 V ac 50Hz, 80W</li> <li>- 80W interchangeable LED Module</li> <li>- Color Temperature 6000 K</li> <li>- DMX 512 control</li> <li>- 2 DMX Channels</li> <li>- Linear dimmer 0-100%</li> <li>- DMX dimmer</li> <li>- Digital display</li> <li>- Control connections, Neutrik XLR 5P In&amp;Out</li> <li>- Power socket IEC320</li> <li>- Aluminium and steel plate body. Scratch resistant black epoxy powder paint</li> <li>- Fiber adaptor 30mm</li> <li>- IP20</li> <li>- Insulation class I</li> <li>- Suitable to be fitted on normally inflammable surfaces</li> </ul>	2'070.00	✓
AR2952-W	Same Features like AR2953-W, but <b>without DMX</b> – only on/off	1'380.00	✓

## FIBER OPTICS LUMINAIRE

**Outdoor**

AR2955A-RGBW	Same Features like AR2951-RGBW, but in a waterproof, stainless Steel Body	3'170.00	✓
AR2954A-W	Same Features like AR2953-W, but in a waterproof, stainless Steel Body	2'090.00	✓



**SHOW LIGHTING**  
Catalogue

**Preisliste gültig ab 1. Mai 2019**

Info: ↓ = Preissenkung, ↑ = Preiserhöhung, ✓ = keine Veränderung

ARTIKEL	BEZEICHNUNG	UVP (CHF)	Info
<b>Products with Halogen &amp; Dicharge Lamps</b>	Upon request, we are pleased to offer you all products with a halogen or dicharge lamp from the catalog. However, due to low demand, these products are not listed on the price list. We ask for your understanding.		

## DMX CONTROLLERS

CO616	<b>LED Player 512:</b> Led Player is the ideal DMX512 Software for all Architectural applications or small/medium-sized projects. It manages all LED technology-based equipment and can control any type of standard DMX appliance. The software is the most user friendly and affordable solution for DMX lighting control. Package comes with interface (512 channels), IR-Remote, USB2.0-cable, Software (Windows & MacOS)	590.00	✓
CO512	<b>DMX MAX 512 LIGHTING DESK:</b> TECHNICAL DATA: 90-250 V ac 50/60Hz, 5W • Standard DMX512/1990 • 512 DMX channels • Optoisolated output • Up to 30 intelligent fixtures may be connected with a maximum of 32 channels each • Users can allocate DMX channel to each intelligent fixture dynamically • The X/Y channels of different intelligent fixtures can be controlled by modulation wheels • Up to 50 SHAPE generators • SHAPE track control is provided to control such effects as circles, lines and shapes like 8, etc. • 30 Chases, up to 100 steps each • Trigger mode selectable: Music, Auto or Manual speed • 6 Chases, 30 Scenes operated at the same time • At most 30 intelligent fixtures can be selected simultaneously • Flash memory card slot is provided. Each flash memory card can record the whole data of controller • LCD display with backlight • Control connections, XLR 3P Out x2 • Power connections, IEC320 socket • Aluminium and steel plate body. Scratch resistant black epoxy powder paint • Dimensions: 485 x 267 x 85 mm • IP20 • Insulation class I	2'100.00	✓
CO048	<b>DMX TG48 LIGHTING CONSOLE:</b> • 100-240 V ac 50/60Hz, 5W • Standard DMX512/1990 • 48 DMX channels • Optoisolated output • 24 preset faders (2 pages) • 12 sub-master faders • 96 scenes (8 pages) • 24 chases, up to 120 steps each • Trigger mode selectable: Music or Auto • LCD display • Control connections, XLR 5P Out x2 • Power connections, IEC320 socket • Aluminium and steel plate body. Scratch resistant black epoxy powder paint • Dimensions: 482 x 310 x 95 mm	2'300.00	✓
CO693	<b>DMX SPLITTER:</b> • Input: 1 x DMX512 / XLR 3-pin • Link: 1 x DMX512 / XLR 3-pin • Outputs: 8 x DMX512 / XLR 3-pin • Optoisolated outputs	420.00	✓
CO677	<b>DMX CONVERTER:</b> • Input signal: DMX512/1990 standard • 6 Channel DMX512 to 6 Channel 0-10V / 6 relay outputs • Standard DMX512 signal input / Address code settable • Conversion DMX512 signal to DC 0-10V analog signal • DMX512 signal to relay output (max. 8A per channel / 230V) • Sizes: L360, W190, H60 mm	780.00	✓